-1

Notice of Allowability	Application No.	Applicant(s)	
	10/678,037	UKE ET AL.	
	Examiner	Art Unit	
	James W. Cranson	2875	
The MAILING DATE of this communication apperature All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this app or other appropriate communication IGHTS. This application is subject to	olication. If not included will be mailed in due cours	e. THIS ne initiative
1. 🛛 This communication is responsive to <u>Terminal Disclaimer fa</u>	iled 10/16/2006.		
2. The allowed claim(s) is/are <u>1-21, 26-52, 60-66 and 68-72</u> .		•	
 3. Acknowledgment is made of a claim for foreign priority una) a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 	. been received. been received in Application No		om the
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		complying with the requiren	nents
4. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give			E OF
 CORRECTED DRAWINGS (as "replacement sheets") must (a) including changes required by the Notice of Draftspers (a) including changes required by the Notice of Draftspers (b) including changes required by the attached Examiner's Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the state of the sheet of the state of the sheet of th	son's Patent Drawing Review (PTO- s Amendment / Comment or in the C .84(c)) should be written on the drawir he header according to 37 CFR 1.121(c	Office action of ngs in the front (not the back d).	
6. DEPOSIT OF and/or INFORMATION about the depo- attached Examiner's comment regarding REQUIREMENT	sit of BIOLOGICAL MATERIAL n FOR THE DEPOSIT OF BIOLOGIC,	nust be submitted. Note t AL MATERIAL	he
		• .	
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	5. ☐ Notice of Informal P 6. ☐ Interview Summary Paper No./Mail Dat 7. ☐ Examiner's Amendr 8. ☑ Examiner's Stateme 9. ☐ Other	(PTO-413), te	:e
			•

DETAILED ACTION

Amendment

Amendment filed 10/16/2006 canceled claims 22-25 and 67.

Allowable Subject Matter

Claims 1-21, 26-52, 60-66 and 68-72 are allowed.

The following is an examiner's statement of reasons for allowance: Applicant discloses a flashlight having a battery housing configured to position a plurality of batteries in adjacent first and second rows, a rotatable head rotatable about a long axis and includes a pivot contact supported by an off-center pivot, and includes a conductive material for providing an supported by an off-center pivot, and includes a conductive material for providing an electrical path between the adjacent rows of batteries.

No prior art was found teaching individually, or suggesting in combination, all of the features of the applicants' invention, specifically cited pivot contact structure and a rotatable head rotatable about a long axis in combination with the claimed flashlight structure.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Art Unit: 2875

Response to Arguments

Applicant's arguments, see amendment and terminal disclaimer filed 10/16/2006, have been fully considered and are persuasive. The rejections of the Final Office Action mailed 6/16/2006 have been withdrawn.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to James W. Cranson whose telephone number is 571-272-2368. The examiner can normally be reached on Mon-Fri 8:30A.M.- 5:00P.M..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Sandy O'Shea can be reached on 571-272-2378. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

10/28/06

Sandra O'Shea
Supervisory Patent Examiner
Technology Center 2800